

www.snobandit.com

Snow Pushers

Snow Pushers from 6' to 18' for loaders, backhoes and skid steers

Rugged and durable
3/8" / 1/2" side plates

All steel construction



Reinforced power wedge left and right inside corners (all models)

Rubber cutting edge for quick and easy replacement

Heavy duty adjustable skid shoes

Snow Removal at it's Best! Mounting Options


**ALL PRODUCTS
MADE IN THE USA**



Skidsteer Quick Attach Model


Sizes from 6 ft to 10 ft
34" tall x 36" deep
1" x 5" replaceable wear shoe
Skidsteer/universal mounting plate
Wedge inside bracing
Rubber edge slotted
Steel cutting edge (optional)

Pull Back Option: 6, 8, and 10 foot models



Backhoe Model

Sizes from 10 ft to 14 ft
34" tall x 36" deep
1" x 5" replaceable wear shoe
10" heavy duty push beam
Wedge inside bracing
Rubber edge slotted



Loader Model

Sizes 10 ft to 20 ft
46" tall x 48" deep
1" x 5" replaceable wear shoe
6 point tubular receiver
12" heavy duty push beam



**Quick
Disconnect
Attachment
Option**

Specifications

P/N	Moldboard Height	Moldboard Thickness	Side Plate Thickness	Side Plate Height	Length	Weight	Cutting Edge	Volume Yd*	Skid Shoe
SB-6S	36"	1 GA	3/8"	34"	6 FT	411 lb	1" X 6" RUBBER	7	1" x 5"
SB-8S	36"	1 GA	3/8"	34"	8 FT	467 lb	1" X 6" RUBBER	8	1" x 5"
SB-10S	36"	1 GA	3/8"	34"	10 FT	840 lb	1" X 8" RUBBER	9	1" x 5"
SB-10B	36"	1 GA	3/8"	34"	10 FT	1081 lb	1" X 8" RUBBER	9	1" x 5"
SB-12B	36"	1 GA	3/8"	34"	10 FT	1457 lb	1 1/2" X 10" RUBBER	9	1" x 5"
SB-14B	36"	03/16"	3/8"	34"	12FT	1619 lb	1 1/2" X 10" RUBBER	18	1" x 5"
SB-12L	46"	03/16"	1/2"	48"	12 FT	1780 lb	1 1/2" X 10" RUBBER	15	1" x 5"
SB14L	46"	03/16"	1/2"	48"	14 FT	1730 lb	1 1/2" X 10" RUBBER	18	1" x 5"
SB-16L	46"	03/16"	1/2"	48"	16 FT	1896 lb	1 1/2" X 10" RUBBER	21	1" x 5"
SB-18L	46"	03/16"	1/2"	48"	14 FT	2063 lb	1 1/2" X 10" RUBBER	24	1" x 5"



***Salt and Sand Spreaders
Snow Pushers***



***ALL PRODUCTS
MADE IN THE USA
IN RUTLAND, MA***



Sno-Bandit Authorized Dealer

www.snobandit.com

SNO-BANDIT, SPREADERS & PUSHERS

Gas Hydraulic Drive and Electric

1.5 through 3.0 yard capacities for

1.7 Yard Shown

Heavy duty screen
Standard

Gussets for reinforcement
and durability every 2 feet
Best in the industry!

Easy clean out U-channel
lifts spreader 3.5" for easy clean out

All 304 Stainless Steel Construction
Standard

Battery and box
Standard

Gas Hydraulic Drive

- 5.5 hp Honda engine
- Quiet hydraulic drive
- Smooth fluid power
- Overload protection
- Low maintenance
- **NO** belts or pulleys
- **NO** chains or sprockets
- **NO** shear pins

ALL PRODUCTS MADE IN THE USA

Gas Hydraulic Control
Easy to operate, easy to use
In-cab control panel.




Wood runners
Standard

Fully adjustable chute
deflectors spread material
from 4' to 25'

Heavy Duty Gas Hydraulic Drive

Features

- 14 ga steel hopper with single piece sides and end plates
- 3 gussets (ea. side) - 8' hopper
- Balanced lifting eye with main brace
- 14" center balanced spinner disc
- 13" conveyor with 662 pintle chain
- In-Cab Control Panel - electric start, choke, and conveyor controls
- Quick disconnect cab and engine harness with in-cab controls
- Equipped with wood runners for easy loading and clean out
- Heavy duty screen
- Heavy duty hold down straps & ratchet sets
- 12V battery and battery box
- Gas Hydraulic models include 5.5 hp Honda Engine



Take-up Bearing
Easy adjustment, built to last!

Gas Hydraulic Drive

- 5.5 hp Honda engine
- Quiet hydraulic drive
- Smooth fluid power
- Overload protection
- Low maintenance



Gas Hydraulic and Electric Salt/Sand Spreaders

Capacity	1.5 Cu. Yd.	1.7 Cu. Yd.	2.5 Cu. Yd	3 Cu. Yd.
Body Length	84"(7')	96"(8')	96"(8')	108"(9')
Overall Length	108"	120"	120"	132"
Body Width (Top)	50"	50"	50"	50"
Body Width (Bottom)	36"	36"	36"	36"
Body Height	36"	36"	43"	38"
Body Top Height	7"	7"	12"	12"
Unit Weight (lbs)	900	950	1,000	1,100
Loaded Weight (lbs)	5080	6050	8,500	8,600

Electric Salt and Sand Spreaders

Gas Hydraulic and Electric models

2.5 Yard Shown



Heavy duty screen
Standard

All 304 Stainless Steel
Construction
Standard

Gussets for reinforcement
and durability every 2 feet
Best in the industry!

Electric Control
Easy to operate, easy to use
In-cab control panel.




**ALL PRODUCTS
MADE IN THE USA**

Wood runners
Standard

Optional Extended Chute
Fully adjustable chute
deflectors spread material
from 4' to 25'

**Heavy Duty
Electric Drive**




Electric Drive

- Single 12V 3/4 hp electric motor
- Super quiet
- Low maintenance
- Proven performance



Single heavy-duty 12V 3/4 hp electric motor
Built to last!



Hydraulic Drive

- Runs off trucks PTO pump
- Heavy duty
- Super quiet
- Low maintenance

5.0 Yard Shown

Hydraulic Salt/Sand Spreader

Capacity	4.0 Cu. Yd.	5.0 Cu. Yd.
Body Length	96"	108"
Overall Length	120"	132"
Body Width (Top)	80"	80"
Body Width (Bottom)	38"	38"
Body Height	47"	47"
Body Top Height	7"	7"
Unit Weight (lbs)	1,050	1,200
Loaded Weight (lbs)	14,120	16,150

